

DEPARTMENT OF THE NAVY

COMMANDER
NAVY REGION HAWAII
850 TICONDEROGA ST STE 110
JBPHH, HAWAII 96860-5101

5090 Ser N45/961 December 30, 2015

CERTIFIED NO: 7015 0640 0002 4677 6014

Mr. Richard Takaba
Hawaii State Department of Health
Environmental Management Division
Solid and Hazardous Waste Branch
Underground Storage Tank Section
919 Ala Moana Boulevard, Room 212
Honolulu, HI 96814

Dear Mr. Takaba:

SUBJECT: RED HILL TANK COMPLEX

DECEMBER 2015 OIL/WATER INTERFACE MEASUREMENTS

DOH FACILITY ID NO. 9-102271

DOH RELEASE ID NO. 990051, 010011, 020028, AND 140010

In response to the January 2014 release from Red Hill Tank 5, oil/water interface measurements were taken at groundwater monitoring wells RHMW01, RHMW02, RHMW03, and RHMW05 on December 17, 2015. No free product was observed in the wells.

The dedicated groundwater pump tubing at RHMW05 was reconfigured during the November 2015 monitoring event. There were no issues measuring the water level at RHMW05 during the December 2015 monitoring event.

A summary of the oil/water interface measurements from January 2014 through December 2015 is being submitted as Enclosure 1.

If there are any questions regarding this matter, or if more information is needed, please contact Ms. Raelynn Kishaba at (808) 471-1171, extension 233.

AARON Y. POENTIS Director

Regional Environmental Department

By direction of the

Commander

Enclosure: 1. Red Hill Oil/Water Interface Measurements, January 2014 through December 2015

5090 Ser N45/961 December 30, 2015

Copy to: Ms. Joanna Seto, DOH Safe Drinking Water Branch
Mr. Bob Pallarino, U.S. EPA Region 9, Underground Storage
Tank Program Office

LCDR Andrew Lovgren, NAVSUP FLC Pearl Harbor

Mr. Rockne Krill, DLA Energy Pacific

	RHMW01			RHMW02			RHMW03			RHMW05		
	Elevat	ion = 102.2	7 ft ¹	Elevation = 104.76 ft ¹			Elevation = 121.06 ft ¹			Elevation = 101.55 ft ¹		
Date	DTW (TOC)	SWL	LNAPL	DTW (TOC)	SWL	LNAPL	DTW (TOC)	SWL	LNAPL	DTW (TOC)	SWL	LNAPL
15-Jan-14	83.94	18.33	0	86.62	18.14	0	NT	NT	NT	NT	NT	NT
16-Jan-14	NT	NT	NT	NT	NT	NT	NT	NT	NT	83.09	18.46	0
22-Jan-14	83.53	18.74	0	86.20	18.56	0	NT	NT	NT	82.87	18.68	0
23-Jan-14	83.58	18.69	0	86.24	18.52	0	NT	NT	NT	82.94	18.61	0
24-Jan-14	83.57	18.70	0	86.23	18.53	0	NT	NT	NT	82.93	18.62	0
27-Jan-14	83.55	18.72	0	86.23	18.53	0	NT	NT	NT	82.93	18.62	0
28-Jan-14	83.56	18.71	0	86.25	18.51	0	102.52	18.54	0	82.94	18.61	0
29-Jan-14	83.56	18.71	0	86.22	18.54	0	NT	NT	NT	82.94	18.61	0
30-Jan-14	83.53	18.74	0	86.21	18.55	0	NT	NT	NT	82.93	18.62	0
31-Jan-14	83.53	18.74	0	86.19	18.57	0	NT	NT	NT	82.88	18.67	0
3-Feb-14	83.54	18.73	0	86.20	18.56	0	NT	NT	NT	82.91	18.64	0
4-Feb-14	83.54	18.73	0	86.20	18.56	0	NT	NT	NT	82.89	18.66	0
10-Feb-14	84.49	17.78	0	86.16	18.60	0	102.47	18.59	0	82.83	18.72	0
24-Feb-14	83.54	18.73	0	86.24	18.52	0	102.47	18.59	0	82.97	18.58	0
4-Mar-14*	NT	NT	0	NT	NT	0	NT	NT	NT	NT	NT	NT
13-Mar-14*	NT	NT	0	NT	NT	0	NT	NT	NT	NT	NT	0
28-Mar-14	83.76	18.51	0	86.42	18.34	0	102.65	18.41	0	83.18	18.37	0
7-Apr-14*	83.42	18.85	0	86.43	18.33	0	NT	NT	NT	83.21	18.34	0
21-Apr-14	83.93	18.34	0	86.58	18.18	0	102.80	18.26	0	83.27	18.28	0
8-May-14*	84.03	18.24	0	86.68	18.08	0	NT	NT	NT	83.46	18.09	0
22-May-14*	83.81	18.46	0	86.47	18.29	0	NT	NT	NT	83.15	18.40	0
27-May-14	83.91	18.36	0	86.60	18.16	0	102.85	18.21	0	83.31	18.24	0
10-Jun-14*	83.93	18.34	0	86.55	18.21	0	NT	NT	NT	83.34	18.21	0
23-Jun-14	84.06	18.21	0	86.72	18.04	0	103.99	17.07	0	83.54	18.01	0
21-Jul-14	84.13	18.14	0	86.80	17.96	0	102.98	18.08	0	83.49	18.06	0
27-Aug-14	84.01	18.26	0	86.65	18.11	0	102.87	18.19	0	83.04	18.51	0
25-Sep-14	84.64	17.63	0	87.27	17.49	0	103.51	17.55	0	84.10	17.45	0
28-Oct-14	83.79	18.48	0	86.51	18.25	0	102.78	18.28	0	83.21	18.34	0
20-Nov-14	83.87	18.40	0	86.56	18.20	0	102.78	18.28	0	83.35	18.20	0
23-Dec-14	83.67	18.60	0	86.37	18.39	0	102.64	18.42	0	83.05	18.50	0
28-Jan-15	83.63	18.64	0	86.35	18.41	0	102.63	18.43	0	83.03	18.52	0
27-Feb-15	83.68	18.59	0	86.28	18.48	0	102.52	18.54	0	83.06	18.49	0
26-Mar-15	83.83	18.44	0	86.04	18.72	0	102.79	18.27	0	83.24	18.31	0
21-Apr-15	84.33	17.94	0	86.97	17.79	0	103.18	17.88	0	83.72	17.83	0
28-May-15	84.29	17.98	0	86.97	17.79	0	103.24	17.82	0	83.95	17.60	0
25-Jun-15	84.58	17.69	0	87.28	17.48	0	103.57	17.49	0	83.75	17.80	0
21-Jul-15	84.58	17.69	0	87.24	17.52	0	103.44	17.62	0	83.76	17.79	0
27-Aug-15	84.44	17.83	0	87.13	17.63	0	103.41	17.65	0	83.69	17.86	0
23-Sep-15	84.26	18.01	0	86.91	17.85	0	103.21	17.85	0	83.63	17.92	0
20-Oct-15	84.00	18.27	0	86.38	18.38	0	103.38	17.68	0	Obstructed	NT	0
18-Nov-15	84.25	18.02	0	86.93	17.83	0	103.24	17.82	0	84.62 ²	16.93	0
17-Dec-15	83.76	18.51	0	86.36	18.40	0	102.56	18.50	0	83.18	18.37	0

Notes:

- 1 Elevations were updated based on the Groundwater Flow Direction/Gradient and Tier 3 Risk Assessment Re-evaluation Letter Report, Red Hill Bulk Fuel Storage Facility, Pearl Harbor, Hawaii, Contract No. N47408-04-D-8514, Task Order 54, dated April 15, 2010.
- 2 Dedicated groundwater pump was obstructing the path of the interface meter probe. Depth measured was based on the elevation of water when pump was removed from RHMW05.

Measurements recorded by Environmental Science International from January 2014 to August 2015, unless otherwise noted.

Measurements recorded by Element Environmental, LLC from September 2015.

* - Measurements recorded by NAVFAC HI.

All units in feet (ft).

DTW (TOC) - depth to water from top of well casing

LNAPL - light non-aqueous phase liquid

NT - measurement not taken

SWL - static water level